Bonaly Scout Centre – Risk Assessment

General Site Use

| No | Hazard | Who it affects | Unmanaged risk | Control measures | Managed risk |
|----|------------------------------|-----------------|----------------|---|--------------|
| 1 | Vehicles – pedestrian | All site users, | High | Vehicle routes are obvious. | Medium |
| | impact. | volunteers & | | No vehicles are allowed on camping fields without permission. | |
| | | staff. | | 10mph speed limit on site with signage. | |
| | | | | Young people should be briefed to be aware of vehicles when moving on | |
| | | | | tracks/roads. | |
| | | | | Carpark wardens used for large events. | |
| 2 | Falling Branches and trees | All site users, | High | The site is zoned into high and low risk areas. An annual tree survey to be | Medium |
| | | volunteers & | | carried out by a competent person and report produced for high-risk areas. | |
| | | staff. | | Low-risk areas are managed as natural woodland | |
| | | | | Site to be checked for damaged trees after high winds. | |
| | | | | Wooded areas not to be used during high winds. | |
| | | | | All site users are to be vigilant, and report concerns to Bonaly staff who will | |
| | | | | cordon off areas where appropriate. | |
| 3 | Adverse weather | All site users, | High | Weather forecasts monitored by Bonaly staff and restrictions put in place | Low |
| | | volunteers & | | for activities and areas when necessary. | |
| | | staff. | | Leaders are responsible for the provision of suitable clothing and | |
| | | | | equipment for their group. | |
| 4 | Drowning in deep water | All site users, | High | The Roman Bath area displays signage to make site users aware of the | Low |
| | | volunteers & | | possibility of deep water. | |
| | | staff. | | Site users to be aware that the burns onsite can a hazard, particularly when | |
| | | | | in spate following heavy rain or snow melt. | |
| 5 | Trespass/unauthorised | All site users, | High | All buildings are lockable, and guests are given keys to secure buildings | Low |
| | access. | volunteers & | | when not occupied. | |
| | | staff. | | Stores, critical services, and equipment are secured when not in use. | |
| | | | | All staff, volunteers and visitors are asked to be vigilant for unauthorised | |
| | | | | people, and either challenge or report concerns. | |
| 6 | Work equipment and plant | All site users, | High | All work equipment is inspected before use and on a regular basis | Low |
| | | volunteers & | | dependent on its level of risk as determined by PUWER. | |
| | | staff. | | High risk equipment which presents a high risk of injury if used incorrectly | |
| | | | | or by untrained users is secured or made inoperable when not in use. | |
| 7 | Safeguarding incident onsite | All site users, | Medium | All visiting group leaders are responsible for the wellbeing of their young or | Low |

Bonaly Scout Centre – Risk Assessment

| | | volunteers & staff. | | vulnerable people. All Bonaly staff and volunteers have undergone DBS checks and safeguarding training. | |
|----|---|--|--------|---|-----|
| 8 | Fire | All site users, volunteers & staff. | High | Each building has a fire risk assessment. Means of escape and fire meeting points are sign posted. "Campsite and Grounds" fire assembly point is the flagpole area on the Main Field Campfires are to be supervised by leaders. Campfires are only permitted in authorised areas. | Low |
| 9 | Falls from height | All site users, volunteers & staff. | High | Any artificial structure providing access to height is secured from unauthorised access. Staff and volunteers are trained in safe working at height and provided with necessary controls and PPE when this is required. Natural features (trees, crags etc) are not managed, and it is the responsibility of the leaders to include this in their risk assessment. | Low |
| 10 | Injury from unauthorised access to confined space. | All site users, volunteers & staff. | High | All confined spaces secured from unauthorised access. | Low |
| 11 | Serious first aid incident | All site users, volunteers & staff. | High | A maintained Automated External Defibrillator is available outside the reception and recorded with the emergency services. A first aid station with suitably qualified persons is situated in the Log Cabin for all major events. Leaders are responsible for the first aid provision of their group. | Low |
| 12 | Electrical fault or damage to electrical systems on site. | All site users, volunteers & staff. | High | All fixed electrical systems are inspected by a competent person on a regular basis in line with the relevant management arrangements. Portable electrical equipment owned and operated by the centre is tested on a regular basis. Staff and volunteers and site users are to be vigilant and report any concerns. | Low |
| 13 | Vermin (E.g., rats) | All site users, volunteers & staff. | Medium | Centre staff are vigilant for signs of vermin in and around buildings. Professional pest contractors are used to control rodents and vermin on site where necessary. Visitors are to be aware of the need to dispose of food waste regularly in the bins provided. | low |
| 14 | Injury during instructor-led activities | Participants, observers & instructors. | High | All instructor-led activities are completed using a safe system of work which includes risk assessments, operating procedures, training, supervision, and monitoring. | Low |

Bonaly Scout Centre – Risk Assessment

| 15 | Injury duri activities | ng self-led | All site users, volunteers & staff. | High | Groups completing self-led activities (including those hired from the centre) are clearly advised that they are responsible for managing the risks of the activity. Hired activity equipment is supplied with risk assessments, instructions, and standard operating procedures, and where it requires an indication of competency qualifications/permits are verified and an induction is completed with the hirer. | Low |
|---------------|---------------------------|-------------|---|------|--|-----|
| 16 | Use of drones | | All users | High | The use of drones which can cause injury to visitors, damage power lines or create child protection issues must not be used by Groups within the boundary of the Centre. | Low |
| 17 | Firework displays | | All users | High | The use of fireworks which could misfire and cause injury are not permitted within the boundary of the Centre. | Low |
| Assessor | | Date | Review Date | | | 1 |
| Mark Campbell | | 24/02/24 | 24/02/25 | | | |